

2026

LED TRAILER LIGHT

**Made in Thailand
For U.S. Market**



RayGlance Automotive (HK) CO., LTD.

marvin.guo@rayglance.com
steve.chou@rayglance.com

4" COMBINATION TRAILER LIGHT KIT - UNDER 80" APPLICATION






Stop / Turn / Tail / License / Marker / Clearance / Reflex
Function







LED
Light Source



Stud
Mounting Type



Candela Distribution Plot




- **Kit includes:** Combination tail light driverside & passengerside, amber marker lights 2pcs, license plate bracket, 22 ft. split Y-style harness, 4 ft. color-coded trunk harness, hardware kit of 6pcs wire splicers, 6pcs wire terminals, 6pcs trailer frame, wire clips, 4pcs screws
- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.

FMVSS	S T I A, A P2, L
Lens Color	Red / Amber / Clear
Light Color	Red / Amber / White
Volt/Amp	13.5VDC - tail 0.06A, stop 0.29A, amber marker .009A
Material	PMMA lens / ABS housing
Weight	2.87 lbs
IP rating	IP67
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060106
Inner / Master Qty	1 / 12
Master Carton Size	21"x17"x14"
G.W	36.4 lbs



KIT ACCESSORIES






4" LOW-PROFILE COMBINATION TRAILER LIGHT KIT - UNDER 80" APPLICATION



- ☒ **Stop / Turn / Tail / License / Marker / Clearance / Reflex**
Function
- ☒ **LED**
Light Source
- ☒ **Stud**
Mounting Type



Candela Distribution Plot



- **Kit includes:** Combination tail light driverside & passengerside
- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.

FMVSS	S T I A, A P 2, L
Lens Color	Red / Clear
Light Color	Red / White
Volt/Amp	13.5VDC - tail 0.07A, stop 0.18A
Material	PMMA lens / ABS housing
Weight	1.2 lbs
IP rating	IP67
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060003
Inner / Master Qty	1 / 12
Master Carton Size	16.5"x12.5"x8.5"
G.W	15.5 lbs

KIT ACCESSORIES





8" LOW-PROFILE TRAILER LIGHT KIT - OVER 80" APPLICATION




- ☒ **Stop / Turn / Tail / License / Marker / Clearance / Reflex**
Function
- ☒ **LED**
Light Source
- ☒ **Stud**
Mounting Type



- **Kit includes:** Combination tail light driverside & passengerside, license plate bracket, 22 ft. split Y-style harness, 4 ft. color-coded trunk harness, hardware kit of 6pcs wire splicers, 6pcs wire terminals, 6pcs trailer frame, wire clips, 4pcs screws
- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.




Candela Distribution Plot



FMVSS	S2 T2 I6 A P2, A2 P3, L
Lens Color	Red / Clear
Light Color	Red / White
Volt/Amp	13.5VDC - tail 0.04A, stop 0.16A
Material	PMMA lens / ABS housing
Weight/Dimension	2.9 lbs
IP rating	IP67
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060114
Inner / Master Qty	1 / 12
Master Carton Size	20.5"x19"x11"
G.W	36.4 lbs

KIT ACCESSORIES



2PK TRAILER GUIDE POST LIGHT




Stop / Turn / Tail
Function



10-LED
Light Source




Grommet
Mounting Type



Candela Distribution Plot


- **Kit includes:** 2pcs 2" ABS housing pipe mount with red cover, 2pcs 6" LED trailer lights, 10ft wire harness with standard 3-prong plug, hardware kit of 6pcs trailer frame wire clips, 4pcs wire connectors, 4pcs heat shrink wire connectors, 4pcs stainless screws
- **Perfect for boat trailers**
- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.



FMVSS	S T I
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - tail 0.01A, stop 0.17A
Material	PMMA lens / ABS housing
Weight	3 lbs
IP rating	IP67
Integral Reflex	No

PACKING INFORMATION	
P/N	2060009
Inner / Master Qty	1 / 10
Master Carton Size	18"x13"x15.5"
G.W	33 lbs



KIT ACCESSORIES



2PK 6" & 2" TRAILER LIGHT BOX KIT



- ☒ **Stop / Turn / Tail / Side marker**
Function
- ☒ **LED**
Light Source
- ☒ **Grommet**
Mounting Type






Candela Distribution Plot

- Kit includes: 2pcs 6" stop/turn/tail lights, 2pcs 2" marker lights, 2pcs steel light boxes
- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.

FMVSS	S T I
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - tail 0.01A, stop 0.17A
Material	PMMA lens / ABS housing
Weight	7.2 lbs
IP rating	IP67
Integral Reflex	No

PACKING INFORMATION	
P/N	2061900
Inner / Master Qty	1 / 6
Master Carton Size	24.5"x10.5"x11.5"
G.W	45.5 lbs



6" OVAL STOP / TURN / TAIL LIGHT




Stop / Turn / Tail
Function



10-LED
Light Source



Grommet
Mounting Type






Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:**
oval 6-13/32"(185mm) x 2-9/16"(65.7mm).

FMVSS	S T I
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - tail 0.02A / stop 0.17A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No

PACKING INFORMATION	
P/N	2060118
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug



6" OVAL TURN SIGNAL / PARKING LIGHT





Turn / Parking
Function



10-LED
Light Source



Grommet
Mounting Type





Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** oval 6-13/32"(185mm) x 2-9/16"(65.7mm).

FMVSS	I6 P
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - Parking 0.03A / Turn 0.3A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No

PACKING INFORMATION	
P/N	2060119
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug



6" OVAL BACKUP LIGHT




Backup
Function



10-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot


- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** oval 6-13/32"(185mm) x 2-9/16"(65.7mm).



FMVSS	R
Lens Color	Clear
Light Color	White
Volt/Amp	13.5VDC - 0.15A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No

PACKING INFORMATION	
P/N	2060714
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug



4" ROUND STOP / TURN / TAIL LIGHT




Stop / Turn / Tail
Function



10-LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** 4-1/2" (114.4mm).




FMVSS	S T I
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - tail 0.02A / stop 0.17A
Material	PMMA lens / ABS housing
Weight	0.2 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003012	Grommet
20001001	PL-3 plug



4" ROUND TURN SIGNAL / PARKING LIGHT




Amber
Light Color

☒ **Turn / Parking**
Function

☒ **10-LED**
Light Source

☒ **Grommet**
Mounting Type






Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** 4-1/2" (114.4mm).

FMVSS	I6 P
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - Parking 0.03A / Turn 0.3A
Material	PMMA lens / ABS housing
Weight	0.2 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003012	Grommet
20001001	PL-3 plug



4" ROUND BACKUP LIGHT



White
Light Color




Stop / Turn / Tail
Function



10-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot


- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** 4-1/2" (114.4mm).



FMVSS	R
Lens Color	Clear
Light Color	White
Volt/Amp	13.5VDC - 0.15A
Material	PMMA lens / ABS housing
Weight	0.2 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003012	Grommet
20001001	PL-3 plug



17" TRAILER LIGHT BAR




Stop / Turn / Tail
Function



13-LED
Light Source




Stud
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Hardwired:** Yellow for stop/turn, brown for tail, white for ground.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires 2 self-tapping screws for installation.
- **Recommended screw:** #8 self-tapping screw.

FMVSS	S T I (installed vertically) / U2 (installed horizontally)
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - tail 0.02A / stop 0.34A
Material	PMMA lens / ABS housing
Weight/Dimension	0.29 lbs / 17"x1.4"x0.7"
IP rating	IP67
Shape	Thinline
Integral Reflex	No



PACKING INFORMATION	
P/N	2060602
Inner / Master Qty	12 / 72
Master Carton Size	18"x17.6"x5.8"
G.W	23.5 lbs


2" ROUND MARKER / CLEARANCE LIGHT



☒ **Marker / Clearance / ID**
Function

☒ **3-LED**
Light Source

☒ **Grommet**
Mounting Type





Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-1/4" (58mm).

FMVSS	P2
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060307
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003013	Grommet
20001002	Plug-in pigtail





2" ROUND MARKER / CLEARANCE LIGHT



- ☒ **Marker / Clearance / ID**
Function
- ☒ **Grommet**
Mounting Type

- ☒ **3-LED**
Light Source



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-1/4" (58mm).


FMVSS	P2
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060305
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs

RECOMMENDED ACCESSORIES



P/N	Description
10003013	Grommet
20001002	Plug-in pigtail



2" ROUND MARKER / CLEARANCE LIGHT WITH REFLEX



- ☒ **Marker / Clearance / ID / Reflex**
Function
- ☒ **1-LED**
Light Source
- ☒ **Grommet**
Mounting Type




Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-1/4" (58mm).

FMVSS	A P2
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060328
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs




RECOMMENDED ACCESSORIES	
P/N	Description
10003013	Grommet
20001002	Plug-in pigtail



2" ROUND MARKER / CLEARANCE LIGHT WITH REFLEX



- ☒ **Marker / Clearance / ID / Reflex**
Function
- ☒ **1-LED**
Light Source
- ☒ **Grommet**
Mounting Type




Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-1/4" (58mm).

FMVSS	A P2
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060329
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003013	Grommet
20001002	Plug-in pigtail




2-1/2" ROUND MARKER / CLEARANCE LIGHT



- ☒ **Marker / Clearance / ID**
Function
- ☒ **Grommet**
Mounting Type

- ☒ **3-LED**
Light Source



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-3/4" (70.6mm).



FMVSS	P2
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060205
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



2-1/2" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-3/4" (70.6mm).




FMVSS	P2
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - 0.08A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060207
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs

RECOMMENDED ACCESSORIES


P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



2-1/2" ROUND MARKER / CLEARANCE LIGHT WITH REFLEX



- ☒ **Marker / Clearance / ID / Reflex**
Function
- ☒ **1-LED**
Light Source
- ☒ **Grommet**
Mounting Type





Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-3/4" (70.6mm).

FMVSS	A P2
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060326
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs



RECOMMENDED ACCESSORIES	
P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



2-1/2" ROUND MARKER / CLEARANCE LIGHT WITH REFLEX



- ☒ **Marker / Clearance / ID / Reflex**
Function
- ☒ **1-LED**
Light Source
- ☒ **Grommet**
Mounting Type




Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-3/4" (70.6mm).

FMVSS	A P2
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	Yes

PACKING INFORMATION	
P/N	2060327
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



3/4" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function





3-LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot



- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** PMMA lens and sealed with potting for waterproof.
- **Easy Setup:** Requires grommet for installation.
- **Recommended Mounting Cutout:** 3/4" (19.1mm).

FMVSS	P3
Lens Color	Red
Light Color	Red
Volt/Amp	13.5VDC - 0.05A
Material	PMMA lens / potting sealant
Weight	0.1 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060221
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

3/4" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** PMMA lens and sealed with potting for waterproof.
- **Easy Setup:** Requires grommet for installation.
- **Recommended Mounting Cutout:** 3/4" (19.1mm).

FMVSS	P3
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - 0.03A
Material	PMMA lens / potting sealant
Weight	0.1 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No



PACKING INFORMATION	
P/N	2060223
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

3/4" LICENSE PLATE LIGHT WITH HOODED GROMMET




License Plate Light
Function





LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot



- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: PMMA lens and sealed with potting for waterproof.

FMVSS	L
Lens Color	Clear
Light Color	White
Volt/Amp	13.5VDC - 0.02A
Material	PMMA lens / potting sealant
Weight	0.04 lbs
IP rating	IP67
Integral Reflex	No

PACKING INFORMATION	
P/N	2060131
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

2" LICENSE PLATE LIGHT




License Plate Light
Function



LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PC lens and PC housing for waterproof.

FMVSS	L
Lens Color	Clear
Light Color	White
Volt/Amp	13.5VDC - 0.05A
Material	PC lens / PC housing
Weight	0.05 lbs
IP rating	IP67
Integral Reflex	No



PACKING INFORMATION	
P/N	2060702
Master Qty	210
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

6" MID-TURN SIGNAL / MARKER LIGHT



☒

Turn / Side marker

Function

☒


LED

Light Source

☒

Grommet



Mounting Type




Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.

FMVSS	A E P2
Lens Color	Amber
Light Color	Amber
Volt/Amp	13.5VDC - marker 0.03A, turn 0.3A
Material	PMMA lens / ABS housing
Weight	0.35 lbs
IP rating	IP67
Integral Reflex	Yes



PACKING INFORMATION	
P/N	2060210
Inner / Master Qty	8 / 48
Master Carton Size	17.5"x16.8"x11"
G.W	18.5 lbs



RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug

3/4" LICENSE PLATE LIGHT
WITH HOODED GROMMET




License Plate Light
Function



LED
Light Source




Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: PMMA lens and sealed with potting for waterproof.



FMVSS	L
Lens Color	Smoke gray
Light Color	White
Volt/Amp	13.5VDC - 0.02A
Material	PMMA lens / potting sealant
Weight	0.04 lbs
IP rating	IP67
Integral Reflex	No

PACKING INFORMATION	
P/N	2060131
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

6" OVAL STOP / TURN / TAIL LIGHT



Red
Light Color




Stop / Turn / Tail
Function



10-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot


- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and PL-3 plug for installation.
- Recommended Mounting Cutout: oval 6-13/32"(185mm) x 2-9/16"(65.7mm).



FMVSS	S T I
Lens Color	Smoke gray
Light Color	Red
Volt/Amp	13.5VDC - tail 0.02A / stop 0.17A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No

PACKING INFORMATION	
P/N	2060711
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug



6" OVAL TURN SIGNAL / PARKING LIGHT



Amber
Light Color




Turn / Parking
Function



10-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot


- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and PL-3 plug for installation.
- Recommended Mounting Cutout:
oval 6-13/32"(185mm) x 2-9/16"(65.7mm).

FMVSS	I6 P
Lens Color	Smoke gray
Light Color	Amber
Volt/Amp	13.5VDC - Parking 0.03A / Turn 0.3A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No



PACKING INFORMATION	
P/N	2060720
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003017	Grommet
20001001	PL-3 plug



6" OVAL BACKUP LIGHT




White
Light Color

☒ Backup
Function

☒ 10-LED
Light Source

☒ Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** oval 6-13/32"(185mm) x 2-9/16"(65.7mm).


FMVSS	R
Lens Color	Smoke gray
Light Color	White
Volt/Amp	13.5VDC - 0.15A
Material	PMMA lens / ABS housing
Weight	0.24 lbs
IP rating	IP67
Shape	Oval
Integral Reflex	No

PACKING INFORMATION

P/N	2060724
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x16.8"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003017	Grommet
20001001	PL-3 plug




4" ROUND STOP / TURN / TAIL LIGHT



Stop / Turn / Tail Function

10-LED Light Source

Grommet Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and PL-3 plug for installation.
- Recommended Mounting Cutout: 4-1/2" (114.4mm).




FMVSS	S T I
Lens Color	Smoke gray
Light Color	Red
Volt/Amp	13.5VDC - 0.29A Stop / Turn, 0.03A Tail
Material	PMMA lens / ABS housing
Weight/Dimension	0.2 lbs / 4.1"x4.1"x1.6"
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003012	Grommet
20001001	PL-3 plug



4" ROUND TURN SIGNAL / PARKING LIGHT



Amber
Light Color


☒

Stop / Turn / Tail
Function

☒

10-LED
Light Source



☒

Grommet
Mounting Type

Candela Distribution Plot


- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** 4-1/2" (114.4mm).

FMVSS	I6 P
Lens Color	Smoke gray
Light Color	Amber
Volt/Amp	13.5VDC - Parking 0.03A / Turn 0.3A
Material	PMMA lens / ABS housing
Weight	0.2 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No



PACKING INFORMATION	
P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003012	Grommet
20001001	PL-3 plug



4" ROUND BACKUP LIGHT



White
Light Color




Stop / Turn / Tail
Function



10-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot


- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and PL-3 plug for installation.
- **Recommended Mounting Cutout:** 4-1/2" (114.4mm).



FMVSS	R
Lens Color	Smoke gray
Light Color	White
Volt/Amp	13.5VDC - 0.15A
Material	PMMA lens / ABS housing
Weight	0.2 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060312
Inner / Master Qty	10 / 60
Master Carton Size	17.5"x13"x8"
G.W	25.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003012	Grommet
20001001	PL-3 plug



2" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and plug-in pigtail for installation.
- Recommended Mounting Cutout: 2-1/4" (58mm).



FMVSS	P2
Lens Color	Smoke gray
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060308
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003013	Grommet
20001002	Plug-in pigtail



2" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source



Grommet
Mounting Type



Candela Distribution Plot

- **Built to Last:** Long-life SMD LED technology.
- **Street Legal:** Meets all FMVSS 108 standards.
- **Submersible:** Sonically sealed PMMA lens and ABS housing for waterproof.
- **Easy Setup:** Requires grommet and plug-in pigtail for installation.
- **Recommended Mounting Cutout:** 2-1/4" (58mm).


FMVSS	P2
Lens Color	Smoke gray
Light Color	Amber
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.05 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION

P/N	2060306
Inner / Master Qty	36 / 216
Master Carton Size	17.5"x13"x10"
G.W	21 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003013	Grommet
20001002	Plug-in pigtail



2-1/2" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and plug-in pigtail for installation.
- Recommended Mounting Cutout: 2-3/4" (70.6mm).

FMVSS	P2
Lens Color	Smoke gray
Light Color	Red
Volt/Amp	13.5VDC - 0.06A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No



PACKING INFORMATION	
P/N	2060206
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs

RECOMMENDED ACCESSORIES

P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



2-1/2" ROUND MARKER / CLEARANCE LIGHT



Amber
Light Color




Marker / Clearance / ID
Function



3-LED
Light Source




Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: Sonically sealed PMMA lens and ABS housing for waterproof.
- Easy Setup: Requires grommet and plug-in pigtail for installation.
- Recommended Mounting Cutout: 2-3/4" (70.6mm).

FMVSS	P2
Lens Color	Smoke gray
Light Color	Amber
Volt/Amp	13.5VDC - 0.08A
Material	PMMA lens / ABS housing
Weight	0.06 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No



PACKING INFORMATION	
P/N	2060208
Inner / Master Qty	30 / 180
Master Carton Size	17.5"x15"x10"
G.W	23 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
10003014	Grommet
20001002	Plug-in pigtail



3/4" ROUND MARKER / CLEARANCE LIGHT




Marker / Clearance / ID
Function



3-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: PMMA lens and sealed with potting for waterproof.
- Easy Setup: Requires grommet for installation.
- Recommended Mounting Cutout: 3/4" (19.1mm).



FMVSS	P3
Lens Color	Smoke gray
Light Color	Red
Volt/Amp	13.5VDC - 0.05A
Material	PMMA lens / potting sealant
Weight	0.1 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No

PACKING INFORMATION	
P/N	2060222
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

3/4" ROUND MARKER / CLEARANCE LIGHT



Amber
Light Color




Marker / Clearance / ID
Function



3-LED
Light Source





Grommet
Mounting Type



Candela Distribution Plot

- Built to Last: Long-life SMD LED technology.
- Street Legal: Meets all FMVSS 108 standards.
- Submersible: PMMA lens and sealed with potting for waterproof.
- Easy Setup: Requires grommet for installation.
- Recommended Mounting Cutout: 3/4" (19.1mm).

FMVSS	P3
Lens Color	Smoke gray
Light Color	Amber
Volt/Amp	13.5VDC - 0.03A
Material	PMMA lens / potting sealant
Weight	0.1 lbs
IP rating	IP67
Shape	Circle
Integral Reflex	No




PACKING INFORMATION	
P/N	2060224
Master Qty	320
Master Carton Size	18"x13.8"x6.5"
G.W	13.5 lbs

RECOMMENDED ACCESSORIES	
P/N	Description
2070201	6" blunt pigtail wire
2070202	6" pigtail wire with .156 terminal
2070203	6" pigtail wire with .180 terminal

3PK TRIANGLE WARNING KIT



- Meets SAE J774 & FMVSS 125.
- 3pcs triangle in one plastic storage case.
- Sonically sealed PMMA reflective lens and ABS housing for waterproof.
- Weighted for stability: net weight per triangle 3 lbs.



Regulations	FMVSS 125
Standards	J774C, J575
Color	Red
Net weight	3 lbs per triangle
Material	PMMA reflective lens / ABS housing
IP rating	IP67
Integral Reflex	Yes

PACKING INFORMATION	
P/N	6831025
Inner Qty	1
Master Qty	4
Master Carton Size	20"x11.8"x11.5"
G.W	42.6 lbs

LED TRAILER LIGHT



RayGlance Automotive (HK) CO., LTD.

marvin.guo@rayglance.com / steve.chou@rayglance.com

CHINA FACTORY: Bldg #18, P1 Yinzhouwan STI Park, 63 Sanjiang Avenue, Sanjiang Township, Jiangmen, Guangdong Province, China

THAILAND FACTORY: 198/20 Moo 4, Nong Lalok, Ban Khai 21120 Rayong Thailand

